

# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

## **CONTRACT EVALUATION FORM**

### **TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS**

- 1) NAME OF THE ORGANIZATION / DEPTT. MUET, Shaheed Z.A Bhutto Campus Khairpur Mir's
- 2) PROVINCIAL / LOCAL GOVT./ OTHER Provisional Government
- 3) TITLE OF CONTRACT Intallation and fixation of lighting system at residential complex
- 4) TENDER NUMBER PD/MUET/KHP/-77 Dated: 19-03-2018
- 5) BRIEF DESCRIPTION OF CONTRACT Intallation and fixation of lighting system at residential complex
- 6) FORUM THAT APPROVED THE SCHEME PDWP Sindh
- 7) TENDER ESTIMATED VALUE 1,406,353.00
- 8) ENGINEER'S ESTIMATE 1,654,532.00  
(For civil works only)
- 9) ESTIMATED COMPLETION PERIOD (AS PER CONTRACT) 01 Month
- 10) TENDER OPENED ON (DATE & TIME) 10-04-2018
- 11) NUMBER OF TENDER DOCUMENTS SOLD Two (02) Nos  
(Attach list of buyers)
- 12) NUMBER OF BIDS RECEIVED Two (02) Nos
- 13) NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS 02 Nos
- 14) BID EVALUATION REPORT Enclosed  
(Enclose a copy)
- 15) NAME AND ADDRESS OF THE SUCCESSFUL BIDDER M/s Umer Jan & Co. Sukkur
- 16) CONTRACT AWARD PRICE 1,406,353.00
- 17) RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT  
(i.e. 1<sup>st</sup>, 2<sup>nd</sup>, 3<sup>rd</sup> EVALUATION BID). 1st Lowest
- 18) METHOD OF PROCUREMENT USED : - (Tick one)
- a) SINGLE STAGE – ONE ENVELOPE PROCEDURE Domestic ☐ Domestic/ Local
- b) SINGLE STAGE – TWO ENVELOPE PROCEDURE ☐
- c) TWO STAGE BIDDING PROCEDURE ☐
- d) TWO STAGE – TWO ENVELOPE BIDDING PROCEDURE ☐

PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED i.e.  
EMERGENCY, DIRECT CONTRACTING ETC. WITH BRIEF REASONS:

Vice Chancellor

19) APPROVING AUTHORITY FOR AWARD OF CONTRACT \_\_\_\_\_

20) WHETHER THE PROCUREMENT WAS INCLUDED IN ANNUAL PROCUREMENT PLAN?

|     |                          |    |                                     |
|-----|--------------------------|----|-------------------------------------|
| Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> |
|-----|--------------------------|----|-------------------------------------|

21) ADVERTISEMENT :

i) SPPRA Website  
(If yes, give date and SPPRA Identification No.)

|     |  |
|-----|--|
| Yes | SPPRA No.T00574-17-0002 dated:<br>18-03-2018 |
| No  |  |

ii) News Papers  
(If yes, give names of newspapers and dates)

|     |   |
|-----|---|
| Yes | The News on 22-03-2018, Sindh Express<br>on dated:22-03-2018 & Daily Jung on<br>dated: 23-03-2018 |
| No  |   |

22) NATURE OF CONTRACT

|                    |                                     |      |                          |
|--------------------|-------------------------------------|------|--------------------------|
| Domestic/<br>Local | <input checked="" type="checkbox"/> | Int. | <input type="checkbox"/> |
|--------------------|-------------------------------------|------|--------------------------|

23) WHETHER QUALIFICATION CRITERIA  
WAS INCLUDED IN BIDDING / TENDER DOCUMENTS?  
(If yes, enclose a copy)

|     |                                     |    |                          |
|-----|-------------------------------------|----|--------------------------|
| Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> |
|-----|-------------------------------------|----|--------------------------|

24) WHETHER BID EVALUATION CRITERIA  
WAS INCLUDED IN BIDDING / TENDER DOCUMENTS?  
(If yes, enclose a copy)

|     |                          |    |                                     |
|-----|--------------------------|----|-------------------------------------|
| Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> |
|-----|--------------------------|----|-------------------------------------|

25) WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OBTAINED FOR USING A  
METHOD OTHER THAN OPEN COMPETITIVE BIDDING?

|     |                          |    |                                     |
|-----|--------------------------|----|-------------------------------------|
| Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> |
|-----|--------------------------|----|-------------------------------------|

26) WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS?

|     |                                     |    |                          |
|-----|-------------------------------------|----|--------------------------|
| Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> |
|-----|-------------------------------------|----|--------------------------|

27) WHETHER THE SUCCESSFUL BID WAS LOWEST EVALUATED  
BID / BEST EVALUATED BID (in case of Consultancies)

|     |                          |    |                                     |
|-----|--------------------------|----|-------------------------------------|
| Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> |
|-----|--------------------------|----|-------------------------------------|

28) WHETHER THE SUCCESSFUL BIDDER WAS TECHNICALLY  
COMPLIANT?

|     |                          |    |                                     |
|-----|--------------------------|----|-------------------------------------|
| Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> |
|-----|--------------------------|----|-------------------------------------|

29) WHETHER NAMES OF THE BIDDERS AND THEIR QUOTED PRICES WERE READ OUT AT  
THE TIME OF OPENING OF BIDS?

|     |                                     |    |                          |
|-----|-------------------------------------|----|--------------------------|
| Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> |
|-----|-------------------------------------|----|--------------------------|

30) WHETHER EVALUATION REPORT GIVEN TO BIDDERS BEFORE THE AWARD OF  
CONTRACT?  
(Attach copy of the bid evaluation report)

|     |                                     |    |                          |
|-----|-------------------------------------|----|--------------------------|
| Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> |
|-----|-------------------------------------|----|--------------------------|



31) ANY COMPLAINTS RECEIVED  
(If yes, result thereof)

|     |     |
|-----|-----|
| Yes |     |
| No  | No. |

32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN THE TENDER NOTICE / DOCUMENTS  
(If yes, give details)

|     |    |
|-----|----|
| Yes |    |
| No  | No |

33) WAS THE EXTENSION MADE IN RESPONSE TIME?  
(If yes, give reasons)

|     |                     |
|-----|---------------------|
| Yes | Yes (Copy attached) |
| No  |                     |

34) DEVIATION FROM QUALIFICATION CRITERIA  
(If yes, give detailed reasons.)

|     |    |
|-----|----|
| Yes |    |
| No  | No |

35) WAS IT ASSURED BY THE PROCURING AGENCY THAT THE SELECTED FIRM IS NOT  
BLACK LISTED?

|     |                                     |    |                          |
|-----|-------------------------------------|----|--------------------------|
| Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> |
|-----|-------------------------------------|----|--------------------------|

36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF THE PROCURING AGENCY TO THE  
SUPPLIER'S PREMISES IN CONNECTION WITH THE PROCUREMENT? IF SO, DETAILS TO  
BE ASCERTAINED REGARDING FINANCING OF VISIT, IF ABROAD:  
(If yes, enclose a copy)

|     |                          |    |                                     |
|-----|--------------------------|----|-------------------------------------|
| Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> |
|-----|--------------------------|----|-------------------------------------|


37) WERE PROPER SAFEGUARDS PROVIDED ON MOBILIZATION ADVANCE PAYMENT IN  
THE CONTRACT (BANK GUARANTEE ETC.)?

|     |                          |    |                                     |
|-----|--------------------------|----|-------------------------------------|
| Yes | <input type="checkbox"/> | No | <input checked="" type="checkbox"/> |
|-----|--------------------------|----|-------------------------------------|

38) SPECIAL CONDITIONS, IF ANY  
(If yes, give Brief Description)

|     |    |
|-----|----|
| Yes |    |
| No  | No |

Signature & Official Stamp of  
Authorized Officer

  
**PROJECT DIRECTOR**  
SPPRA, Block No. 8, Sindh Secretariat No. 4-A, Court Road, Karachi

**FOR OFFICE USE ONLY**

**SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi**  
**Tele: 021-9205356; 021-9205369 & Fax: 021-9206291**

Print

Save

Reset

**SUBJECT: ADMINISTRATIVE APPROVAL FOR EXTENSION OF BID VALIDITY FOR THE PERIOD OF (90) DAYS FOR INSTALLATION AND FIXATION OF LIGHTING SYSTEM AT RESIDENTIAL COMPLEX AT MUET, SHAHEED Z.A BHUTTO CAMPUS KHAIRPUR MIR'S.**

**Submitted:**

It is submitted that the bids were invited for Installation and fixation of lighting system at residential complex at MUET, Shaheed Z.A Bhutto Campus Khairpur Mir's vide letter No:PD/MUET/KHP/-77 Dated: 19-03-2018. The NIT along with the bidding documents were hoisted on SPPRA website and MUET, Shaheed Z.A Bhutto Campus Khairpur Mir's website. Total 02 Nos. contractors purchased the tender documents and same Nos. submitted the bids duly filled. The Tenders/ bids were opened on 10.04.2018 at 1:00 p.m in the presence of suppliers and committee members. The amount quoted / offered by the contractors was read aloud and recorded in the bid opening sheet which was then signed by the committee members and available / present contractors.


As the bid validity will expire on dated: 09.07.2018 and due to fulfillment of some procedural and official requirements, it seems that bid validity will expire without issuing work order to the Contractor, quoting the lowest bid as the period of bid validity is about to complete. For this, the extension for the period of ninety days in bid validity is required. Referring to Rule No.38 of SPPRA Rule 2010 and amendment No.2017.

*"In exceptional circumstances, Procuring Agency may request the bidders to extend the period of validity for a additional period but not exceeding the original period of bid validity. The request and the bidders' responses shall be made in writing or by cable. A Bidder may refuse the request without forfeiting the Bid Security. A Bidder agreeing to the request will not be required or permitted to otherwise modify the Bid, but will be required to extend the validity of Bid Security for the period of the extension".*


Therefore the Competent Authority is requested to accord Administrative Approval for extension of bids validity for the period of 90 days for Installation and fixation of lighting system at residential complex at MUET, Shaheed Z.A Bhutto Campus Khairpur Mir's.

Approval are requested Sir,

  
Project Director

  
Pro Vice Chancellor  
26/6/2018





### FORM OF CONTRACT AGREEMENT

THIS CONTRACT AGREEMENT (hereinafter called the Agreement) made on the \_\_\_\_ day of \_\_\_\_\_ 2018 between Mehran University of Engineering & Technology, Shaheed Z.A Bhutto Campus Khairpur Mir's (hereinafter called the "Procuring Agency") of the one part and M/s Umer Jan & Co, Sukkur (hereinafter called the "Contractor") of the other part.

WHEREAS the Procuring Agency is desirous that certain Works, viz INSTALLATION AND FIXATION OF LIGHTING SYSTEM AT RESIDENTIAL COMPLEX OF MUET, SHAHEED Z.A BHUTTO CAMPUS KHAIRPUR MIR'S an amounting to Rs.1,406,353.00 should be executed by the Contractor and has accepted a Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witness the as follows:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
  - (a) The Letter of Acceptance;
  - (b) The completed Form of Bid along with Schedules to Bid;
  - (c) Conditions of Contract & Contract Data;
  - (d) The priced Schedule of Prices/Bill of quantities (BoQ);
  - (e) The Specifications; and
  - (f) The Drawings
3. In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract



4. The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contractor

(Seal)

**MERJAN & CO.**  
Engineers & Contractor

Signature of the Procuring Agency

(Seal)

**PROJECT DIRECTOR**  
MUET, Shaheed Z.A. Bhutto Campus  
Khairpur Mir's

Signed, Sealed and Delivered in the presence of:

Witness:

*Muhammad*

*Muhammad Ahmad, Sukkur*  
(Name, Title and Address)

Witness:

*Safdar Ali*

*Safdar Ali*  
*Assistant Director (P&I)*  
*MUET, SZAB C Khairpur*  
(Name, Title and Address)



# UMER JAN & COMPANY

## ENGINEERS & CONTRACTOR

**Head Office:**

Sukkur Cooperative Society,  
Main Shikarpur Road Nara Stop  
Plot # 147 Block A Sukkur.  
Ph: 071-5632859, Fax: 071-5632461  
E-mail: U\_jan@live.com

To,

Project Director  
MUET, Shaheed Z. A Bhutto Campus  
Khairpur Mir's.

**Subject:**


**EXTENSION IN BID VALIDITY FOR THE PERIOD OF 90 DAYS  
FOR INSTALLATION AND FIXATION OF LIGHTING SYSTEM AT  
RESIDENTIAL COMPLEX AT MUET, SHAHEED Z.A BHUTTO  
CAMPUS KHAIRPUR MIR'S.**

Tender Reference No. PD/MUET/KHP/-77 Dated: 19-03-2018

Dear Sir,

With reference to your letter No.PD/MUET/KHP/-150 dated: 02-07-2018 regarding the extension of the bid validity for 90 days against above subjected work. We hereby given our consent and extended the bid validity of our quoted offer for another 90 days which will expire on 09.07.2018 as requested by you vide your above referred letter.

Yours truly

  
3/7/2018  
M/s Umer Jan & Co. Sukkur  
**UMER JAN & CO.**  
Engineers & Contractor

UMER JAN





**Om PARKASH M. KUNDNANI**

**Government Contractor**

Date: \_\_\_\_\_

To,

Project Director  
MUET, Shaheed Z. A Bhutto Campus  
Khairpur Mir's.

Subject:

**EXTENSION IN BID VALIDITY FOR THE PERIOD OF 90 DAYS  
FOR INSTALLATION AND FIXATION OF LIGHTING SYSTEM AT  
RESIDENTIAL COMPLEX AT MUET, SHAHEED Z.A BHUTTO  
CAMPUS KHAIRPUR MIR'S.**

Tender Reference No. PD/MUET/KHP/-77 Dated: 19-03-2018

Dear Sir,

With reference to your letter No.PD/MUET/KHP/-149 dated: 02-07-2018, regarding the extension of the bid validity for 90 days against above subjected tenders.

As per your request, we are please to extend the bid validity for our offer for further 90 days for Installation and fixation of lighting system at residential complex at MUET, Shaheed Z.A Bhutto Campus Khairpur Mir's.

Thanking You,

M/s OM Parkash M.Kundnani, Larkana

**OFFICE**

C/o Jholay Lal Hardware Paint House,  
Karma Bagh Chowk, Larkana.  
Cell #: 0300-3420355  
E-mail: omparkash.mk76@yahoo.com





**MEHRAN UNIVERSITY OF ENGINEERING & TECHNOLOGY,**  
**SHAHEED ZULFIQAR ALI BHUTTO CAMPUS, KHAIRPUR MIR'S**  
Phone No.0243-9280314

No. PD/MUET/KHP/-149  
Dated: 02-07-2018

To,

M/s OM Parkash M.Kundnani, Larkana

**Subject: FOR THE EXTENSION IN BID VALIDITY FOR THE PERIOD OF 90 DAYS FOR INSTALLATION AND FIXATION OF LIGHTING SYSTEM AT RESIDENTIAL COMPLEX AT MUET, SHAHEED Z.A BHUTTO CAMPUS KHAIRPUR MIR'S.**

It is informed to you that the bids were invited for Installation and fixation of lighting system at residential complex at MUET, Shaheed Z.A Bhutto Campus Khairpur Mir's vide letter No:PD/MUET/KHP/-77 Dated: 19-03-2018. The NIT along with the bidding documents were hoisted on SPPRA website and MUET, Shaheed Z.A Bhutto Campus Khairpur Mir's website. Total 02 Nos. contractors purchased the tender documents and same Nos. submitted the bids duly filled. The Tenders/ bids were opened on 10.04.2018 at 1:00 p.m in the presence of suppliers and committee members. The amount quoted / offered by the contractors was read aloud and recorded in the bid opening sheet which was then signed by the committee members and available / present contractors.

As the bid validity will expire on dated: 09.07.2018 and due to fulfillment of some procedural and official requirements, it seems that bid validity will expire without issuing work orders to the Contractor, quoting the lowest bids as the period of bid validity is about to complete. For this, the extension for the period of ninety days in bid validity is required. Referring to Rule No.38 of SPPRA Rule 2010 and amendment No.2017.

*"In exceptional circumstances, Procuring Agency may request the bidders to extend the period of validity for a additional period but not exceeding the original period of bid validity. The request and the bidders' responses shall be made in writing or by cable. A Bidder may refuse the request without forfeiting the Bid Security. A Bidder agreeing to the request will not be required or permitted to otherwise modify the Bid, but will be required to extend the validity of Bid Security for the period of the extension".*


You are therefore requested to extend given us consent about the bid validity for the period of 90 days for Installation and fixation of lighting system at residential complex at MUET, Shaheed Z.A Bhutto Campus Khairpur Mir's.

With Best Regards,

a/c   
21/7/18  
PROJECT DIRECTOR

C.C to:

1. The Secretary to Pro-Vice Chancellor, MUET, Shaheed Z.A.B Campus Khairpur Mir's.



**MEHRAN UNIVERSITY OF ENGINEERING & TECHNOLOGY,**  
**SHAHEED ZULFIQAR ALI BHUTTO CAMPUS, KHAIRPUR MIR'S**  
Phone No.0243-9280314

No. PD/MUET/KHP/-150.  
Dated: 02-07-2018

To,

M/s Umer Jan & Co. Sukkur

**Subject: FOR THE EXTENSION IN BID VALIDITY FOR THE PERIOD OF 90 DAYS FOR INSTALLATION AND FIXATION OF LIGHTING SYSTEM AT RESIDENTIAL COMPLEX AT MUET, SHAHEED Z.A BHUTTO CAMPUS KHAIRPUR MIR'S.**

It is informed to you that the bids were invited for Installation and fixation of lighting system at residential complex at MUET, Shaheed Z.A Bhutto Campus Khairpur Mir's vide letter No:PD/MUET/KHP/-77 Dated: 19-03-2018. The NIT along with the bidding documents were hoisted on SPPRA website and MUET, Shaheed Z.A Bhutto Campus Khairpur Mir's website. Total 02 Nos. contractors purchased the tender documents and same Nos. submitted the bids duly filled. The Tenders/ bids were opened on 10.04.2018 at 1:00 p.m in the presence of suppliers and committee members. The amount quoted / offered by the contractors was read aloud and recorded in the bid opening sheet which was then signed by the committee members and available / present contractors.

As the bid validity will expire on dated: 09.07.2018 and due to fulfillment of some procedural and official requirements, it seems that bid validity will expire without issuing work orders to the Contractor, quoting the lowest bids as the period of bid validity is about to complete. For this, the extension for the period of ninety days in bid validity is required. Referring to Rule No.38 of SPPRA Rule 2010 and amendment No.2017.

*"In exceptional circumstances, Procuring Agency may request the bidders to extend the period of validity for a additional period but not exceeding the original period of bid validity. The request and the bidders' responses shall be made in writing or by cable. A Bidder may refuse the request without forfeiting the Bid Security. A Bidder agreeing to the request will not be required or permitted to otherwise modify the Bid, but will be required to extend the validity of Bid Security for the period of the extension".*


You are therefore requested to extend given us consent about the bid validity for the period of 90 days for Installation and fixation of lighting system at residential complex at MUET, Shaheed Z.A Bhutto Campus Khairpur Mir's.

With Best Regards,

a/c   
PROJECT DIRECTOR

C.C to:

1. The Secretary to Pro-Vice Chancellor, MUET, Shaheed Z.A.B Campus Khairpur Mir's.

  
21/7/2018



## Bid Evaluation Report


1. Name of Procuring Agency: **Mehran University of Engineering & Technology, Shaheed Z.A Bhutto Campus Khairpur Mir's.**
2. Tender Reference No: **PD/MUET/KHP/-77 Dated: 19-03-2018**
3. Tender Description/Name of work/item: **Installation and fixation of lighting system at residential complex of MUET, Shaheed Z.A Bhutto Campus Khairpur Mir's.**
4. Method of Procurement: **Domestic / Local**
5. Tender Published: **SPPRA Website on 18-03-2018**  
*Print & Electronic Media (SPPRA Sr. No. T00574-17-0002, website on dated: 18-03-2018 & MUET, SZAB Campus website on dated: 18-03-2018) & The News Dated: 22-03-2018, Rozana Jang Dated: 23-03-2018 & Sindh Express Dated: 22-03-2018.*
6. Total Bid documents Sold: **Two (02) Nos.**
7. Total Bids Received: **Two (02) Nos.**
8. Technical Bid Opening date: (if applicable) N/A (Provide details in separate form)
9. No. of Bid technically qualified (if applicable): N/A
10. Bid(s) Rejected: NIL
11. Financial Bid Opening date: 10-04-2018


### **12. Bid Evaluation Report:**


| S No | Name of Firm or Bidder             | Cost offered by the Bidder | Ranking in terms of cost | Comparison with Estimated cost | Reasons for acceptance/rejection       | Remarks |
|------|------------------------------------|----------------------------|--------------------------|--------------------------------|--|---------|
| 0    | 1                                  | 2                          | 3                        | 4                              | 5                                      | 6       |
| 1.   | M/s Umer Jan & Co. Sukkur          | Rs.1,406,353.00            | 1 <sup>st</sup> lowest   | -14.99% Below                  | Accepted due to 1 <sup>st</sup> lowest |         |
| 2.   | M/s OM Parkash M.Kundnani, Larkana | Rs.1,571,806.00            | 2 <sup>nd</sup> Lowest   | -4.99% Below                   | 2 <sup>nd</sup> Lowest                 |         |


### **Signatures of the Members of the Committee.**

  
Engr. Rakhial Bhutto  
Executive Engineer (Civil)  
MUET, SZAB Campus Khairpur Mir's / Member / Secretary

  
Dr. Syed Naveed Raza Shah  
Chairman Civil Engg. Deptt:  
MUET, SZAB Campus Khairpur Mir's / Member

  
Engr. Ghulam Mujtaba Abbasi  
Executive Engineer (Electrical)  
SALU, Khairpur Mir's / External Member

  
Engr. Faheem Ahmed Soomro  
Assistant Engineer (Civil)  
Khairpur Medical College, Khairpur Mir's /  
External Member

  
Engr. Sajjad Hussain Memon  
In-charge Project Director  
MUET, Shaheed Z.A Bhutto Campus, /  
Khairpur Mir's/ Convener

# B.O.Q / SCHEDULE B

## MAIN SUMMARY

NAME OF WORK: - INSTALLATION AND FIXATION OF LIGHTING SYSTEM AT  
RESIDENTIAL COMPLEX OF MUET, SHAHEED Z.A BHUTTO  
CAMPUS KHAIRPUR MIR'S.

| S#.                                      | Description  | Qty    | Unit   | Unit Rate (Rs.) | Total Amount (Rs.) |
|--|--|--------|--------|-----------------|--------------------|
| 1  | Providing and fixing of street light 250 watts (HPMV) having IP54 classification with 250w lamp, choke, capacitor and Internal wiring complete in all respect at the height up to 31ft as per site requirement and instruction of EI.(ESI # 160, P # 25)   | 22.0   | P.Each | 8,455.00        | 186,010.00         |
| 2  | Providing and laying (Main or Sub Main) PVC insulated size 2-7/0.64 (16mm <sup>2</sup> ) copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required as per site requirement and instruction of EI.(ESI # 14, P # 2)   | 2100.0 | P.Mtr  | 641.00          | 1,346,100.00       |
| 3  | Providing and fixing of circuit breaker 100amp T.P (XS -100NS) on perpaired board as required (ESI# 207, P # 31).  | 6.0    | P.No   | 9,261.00        | 55,566.00          |
| 4  | Construction of RCC foundation as per following specification & instruction of EI for 31/40ft long tubular pole excavation of soft/hard soil 3' x 3' x 5.5' stone soiling 3' x 3' x 6" making lean in the ratio of 1:4:8 length of MS bolts 6-1/2' (3/4"dia) 4 no & making thread on MS rod Template 22" x 22" x 1/4" Rings 1/4" dia round bar to the welded with MS rod RCC foundation ratio 1:2:4 with appropriate size 2ft x 2ft x 6.5ft. (ESI# 139, P# 19) | 4.0    | P.No   | 15,168.00       | 60,672.00          |
| 5  | Manufacturing providing & fixing GI single arm double arch as per site requirement Instruction of EI with following Specification GI pipe 2" dia 10 SWG 5ft long 2 no's MS clamps with nuts & bolts (ESI # 143, P#21)  | 4.0    | P.No   | 1,546.00        | 6,184.00           |
| Sub-Total                                |  |        |        |                 | 1,654,532.00       |
| Premium <u>15</u> % Above / Below on S.I |  |        |        |                 | 248179             |
| Total                                    |  |        |        |                 | 1406353            |

Project Director


Contractor

Repres: Ghulam Muftaba Abbasi

XEN (EAM)

Umer Jan & Co:  
Proprietor & Contractor





**MEHRAN UNIVERSITY OF ENGINEERING & TECHNOLOGY,  
SHAHEED Z.A BHUTTO CAMPUS KHAIRPUR (MIR'S)**  
Telephone No.0243-9280314

No: PD/MUET/KHP/- 216  
Dated: 01-10-2018

To,

M/s Umer Jan & Co. Sukkur

**WORK ORDER**

**Subject: INSTALLATION AND FIXATION OF LIGHTING SYSTEM AT RESIDENTIAL  
COMPLEX OF MUET, SHAHEED Z.A BHUTTO CAMPUS KHAIRPUR MIR'S.**

**Ref:-** Your Percentage / Item Rate Tenders, Dated: 10.04.2018.


**C.C To:**

1. Director Finance, MUET, Jamshoro.
2. Director (W& SP), MUET, Jamshoro.
3. The Secretary to Vice Chancellor, MUET, Jamshoro, for favour of information.
4. Executive Engineer, MUET, Shaheed Z.A Bhutto Campus Khairpur Mir's.
5. Assistant Engineer (Electrical), MUET, Shaheed Z.A Bhutto Campus Khairpur Mir's.
6. The Secretary to Pro-Vice Chancellor, MUET, Shaheed Z.A Bhutto Campus Khairpur Mir's.

I am pleased to inform you that your percentage rate tender quoted by you for the subject work has been approved by the Competent Authority for the **Rs.1,406,353.00** on the following Terms & Conditions.

1. No Escalation shall be allowed on any item.
2. No Mobilization Advance shall be allowed.

You are therefore advised to please attend the office of the undersigned within seven days for executing the agreement (on duly adhesive stamped paper), and complete the other formalities to start the work at site as per terms and conditions mentioned in the bidding documents. You are also advised to start the work within seven days positively & complete the work within **One month** according to specifications under the supervision of Executive Engineer. The completion time period shall be reckoned from the date of start of the work, which is 07 days positively after the date of issuance of this letter and no delay in completion of the work will be tolerated.

  
11/10/18

  
(ENGR.SAJJAD HUSSAIN MEMON)  
PROJECT DIRECTOR